



Tackle The Outdoors Fully Loaded and American-Strong

CLASSIC EDITION N7 CREW CAB

[vehicle pn: CA00215]



CLASSIC MODEL FEATURES:

- Black Hood
- Poly Bed
- Taillights
- Horn
- Side Nets

ADDITIONAL UPGRADES INCLUDED:

- (EPS) Electronic Power Steering

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade

Torque: 34.5Ft-Lbs

Drivetrain: 4x2 with Rear Locking Differential

Bed Capacity: 600 Lbs.

Tow Capacity: 1,500 Lbs.

Speed: 35 Mph

Passengers: 4

Warranty: 1 Year Factory Warranty *plus* 3 Year Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$15,499

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

(CP00570 rev.0)

CLASSIC
EDITION

N7 Crew 4x2 (poly bed)



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	4x2
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,270 lbs.
BED MATERIALS	"Poly Bed" with stake pockets
BED DIMENSIONS	35.25" L x 41.5" W x 11" D
BED CAPACITY	Poly - 9 cu.ft. / 500 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong

CLASSIC EDITION N7 CREW CAB

[vehicle pn: CA00216]



CLASSIC MODEL FEATURES:

- Black Hood
- Steel Bed
- Taillights
- Horn
- Side Nets

ADDITIONAL UPGRADES INCLUDED:

- (EPS) Electronic Power Steering

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade

Torque: 34.5Ft-Lbs

Drivetrain: 4x2 with Rear Locking Differential

Bed Capacity: 600 Lbs.

Tow Capacity: 1,500 Lbs.

Speed: 35 Mph

Passengers: 4

Warranty: 1 Year Factory Warranty *plus* 3 Year Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination Charges At The Dealer



TRULY BUILT IN THE USA



Watch Video

(MSRP)

\$15,999

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

(CP00571 rev.0)

CLASSIC
EDITION

N7 Crew 4x2 (steel bed)



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	4x2
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,270 lbs.
BED MATERIALS	Steel Bed
BED DIMENSIONS	37.125" L x 48.25" W x 10" D
BED CAPACITY	Steel - 10.4 cu.ft. / 800 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong

CLASSIC
E D I T I O N

N7

CREW CAB

[vehicle pn: CA00217]



CLASSIC MODEL FEATURES:

- Black Hood
- Poly Bed
- Taillights
- Horn
- Side Nets

ADDITIONAL UPGRADES INCLUDED:

- (EPS) Electronic Power Steering

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade

Torque: 34.5Ft-Lbs

Drivetrain: 4x4 with Rear Locking Differential

Bed Capacity: 600 Lbs.

Tow Capacity: 1,500 Lbs.

Speed: 35 Mph

Passengers: 4

Warranty: 1 Year Factory Warranty *plus* 3 Year
Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination
Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$16,499

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

(CP00572 rev.0)

CLASSIC
E D I T I O N

N7 Crew 4x4 (poly bed)



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,270 lbs.
BED MATERIALS	"Poly Bed" with stake pockets
BED DIMENSIONS	35.25" L x 41.5" W x 11" D
BED CAPACITY	Poly - 9 cu.ft. / 500 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong

CLASSIC EDITION N7 CREW CAB

[vehicle pn: CA00218]



CLASSIC MODEL FEATURES:

Black Hood
Steel Bed
Taillights

- Horn
- Side Nets

ADDITIONAL UPGRADES INCLUDED:

- (EPS) Electronic Power Steering

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade
Torque: 34.5Ft-Lbs
Drivetrain: 4x4 with Rear Locking Differential
Bed Capacity: 600 Lbs.
Tow Capacity: 1,500 Lbs.
Speed: 35 Mph
Passengers: 4
Warranty: 1 Year Factory Warranty *plus* 3 Year Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination
Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$16,999

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

(CP00573 rev.0)

CLASSIC
EDITION

N7 Crew 4x4 (steel bed)



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,270 lbs.
BED MATERIALS	Steel Bed
BED DIMENSIONS	37.125" L x 48.25" W x 10" D
BED CAPACITY	Steel - 10.4 cu.ft. / 800 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong

TOURING
E D I T I O N

N7 CREW CAB

[vehicle pn: CA00137]



FULLY LOADED - *READY TO PLAY*

FACTORY-INSTALLED UPGRADES: \$6,115 Savings!*

- Blue hood (standard item)
- HD Bumper With LED Light
- Convertible Flip Seat, Steel Bed
- Aluminum Rims with Chrome Lugs
- Split Windshield
- CV Guards
- Aluminum Roof
- (EPS) Electronic Power Steering
- Dome Light
- Horn
- Turn Signals
- Side Mirrors
- Rearview Mirror
- Tail/Brake Lights
- License Plate Holder & Light
- USB Charger
- Center Console
- Heavy Duty Shocks
- Wet Sounds® Stereo

\$9,615 PACKAGE VALUE!*

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade
Torque: 34.5Ft-Lbs
Drivetrain: 4x4 with Rear Locking Differential
Bed Capacity: 800 Lbs.
Tow Capacity: 1,500 Lbs.
Speed: 24 Mph
Passengers: 6
Warranty: 1 Year Factory Warranty *plus* 3 Year Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination
Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$19,499

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

CP00460

TOURING EDITION

N7 Crew



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	6 Person
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,550 lbs.
BED MATERIALS	Flip Seat / Steel Bed
BED DIMENSIONS	40.25" L x 42" W x 10" D
BED CAPACITY	9 cu.ft. / 800 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong

RANCH EDITION **N7** CREW CAB

[vehicle pn: CA00139]



Shovel not included.

FULLY LOADED - READY TO WORK

FACTORY-INSTALLED UPGRADES: \$6,224 Savings!*

- Grey Hood (standard item)
- HD Bumper With LED Light
- Convertible Steel Bed/Flat Bed
- Toolbox / Cooler
- Split Windshield
- CV Guards
- Aluminum Roof
- (EPS) Electronic Power Steering
- Dome Light
- Horn Kit
- Roof-Mounted LED Bar
- Rear Work Light
- Tail/Brake Lights
- 3,000 Lbs. Winch
- USB Charger
- Center Console
- Rearview Mirror
- 4 Tool Clamps
- Heavy Duty Shocks
- 1,000ft Distance Safety Triangle

\$10,224 PACKAGE VALUE!*

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade

Torque: 34.5Ft-Lbs

Drivetrain: 4x4 with Rear Locking Differential

Bed Capacity: 800 Lbs.

Tow Capacity: 1,500 Lbs.

Speed: 35 Mph

Passengers: 4

Warranty: 1 Year Factory Warranty *plus* 3 Year
Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination
Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$19,999

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

CP00461

RANCH EDITION

N7 Crew



Made In Indiana, USA



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,270 lbs.
BED MATERIALS	Steel Bed
BED DIMENSIONS	37.125" L x 48.25" W x 10" D
BED CAPACITY	Steel - 10.4 cu.ft. / 800 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories



Tackle The Outdoors Fully Loaded and American-Strong



N7 CREW CAB

[vehicle pn: CA00142]



FULLY LOADED - *READY TO HUNT*

FACTORY-INSTALLED UPGRADES: \$4,384 Savings!*

- Custom Color: Forest Green (standard item)
- REALTREE® Camo Hood
- HD Bumper With LED Light
- Split Windshield
- CV Guards
- Aluminum Roof
- (EPS) Electronic Power Steering
- Armory Rack
- Dome Light
- 20" Red LED Hunt Light
- Rear Work Light
- USB Charger
- Center Console
- Rearview Mirror
- Front Hood Rack
- 3,000 Lbs. Winch

\$7,384 PACKAGE VALUE!*

HIGH LEVEL SPECS:

Engine: V-Twin EFI 627cc Commercial-Grade
Torque: 34.5Ft-Lbs
Drivetrain: 4x4 with Rear Locking Differential
Bed Capacity: 600 Lbs.
Tow Capacity: 1,500 Lbs.
Speed: 35 Mph
Passengers: 4
Warranty: 1 Year Factory Warranty *plus* 3 Year Extended Coverage *plus* 5 Year Belt Warranty

LANDMASTER GIVES YOU MORE!



FREE SHIPPING

No Shipping or Destination Charges At The Dealer



TRULY BUILT IN THE USA



(MSRP)
\$18,999

*Value and savings amount is based on what you would pay for a la carte accessories plus dealer installation fees

CP00462



N7 Crew



Made In Indiana, USA



Design



Fabricated U.S.
Steel Tubing



Fully Welded,
All-Steel Frame



High-Temp
Powder Coat



Assemble The
Entire UTV



Test Every UTV



Ship To Our
Dealer Network

POWER	34.5Ft-Lbs torque rating, 627cc Commercial-Grade, V-Twin OHV-Technology, EFI Vanguard 4-stroke Gas Engine. Superior balance, low vibration, lower emissions, improved valve life, better fuel economy and higher HP/Weight
SEATING CAPACITY	4 Person*
SPEED	35 mph*
FUEL CONSUMPTION	18 mpg*
RANGE	Up to 100 miles*
STARTING	12V keyed ignition
BATTERY	12V / 315 cca utility class
SPARK PLUG	NGK C7HSA
FUEL CAPACITY	5.0 gal
ALTERNATOR	16 amp
TRANSMISSION	CVT automatic
TRANSAXLE	Gear drive Schafer/DANA oil-filled transaxle
DIFFERENTIAL	Cable Actuated Rear-Locking
DRIVE	Switch engaged on demand, 4 wheel drive
FRONT SUSPENSION	Double A-arms, adjustable coil over shock with up to 8" travel
REAR SUSPENSION	Independent trailing arm, with radius rod, adjustable camber & tow control, dual-rate coil over shock with up to 8" of travel
BRAKE SYSTEM	4 wheel disc, hydraulic brake / hand-operated parking brake
TIRES	25 x 8 - 12 (front) 25 x 10 - 12 (rear)
DIMENSIONS	141" L x 58" W x 76" H
WHEEL BASE	105"
TURNING RADIUS	14' inside radius
GVWR	2,900 lbs. / HD 3,100 lbs.
CURB WEIGHT	1,550 lbs.
BED MATERIALS	"Poly Bed" with stake pockets
BED DIMENSIONS	35.25" L x 41.5" W x 11" D
BED CAPACITY	Poly - 9 cu.ft. / 600 lbs.
TOWING CAPACITY	1,500 lbs.
TOTAL PAYLOAD	1,400 lbs. / HD 1,600 lbs.
WARRANTY	3 year engine / All other 1 year limited / 5 year belt warranty
ADDITIONAL FEATURES	DOT certified 3pt lap/shoulder belts for driver and passenger, twin 12V auxiliary outlets for accessories, 12V/18W LED headlights, polyurethane powder paint, 2" front and rear receiver hitch, poly dump bed standard, bench seating, welded steel frame. Complete weather-sealed wiring connections. Wide selection of additional accessories available along with three bed options. Fuel gauge located under seat. In-dash, hour/volt meter standard. EPS Standard

* Estimates. Actual top speeds, fuel consumptions and vehicle ranges may vary due to driving conditions, terrain, climate and other extenuating circumstances.

**Overall vehicle dimensions may vary with the addition of optional accessories